INTUMESCENT FIRE RETARDANT

FR-18

PRODUCT NAME: Intumescent Fire Retardant White

PRODUCT NUMBERS: FR-18

DESCRIPTION: A water based acrylic intumescent Fire retardant coating that

creates a thin film fire retardant and barrier coating for use on

interilr building surfaces.

SUGGESTED USES: For interior use on wallboard, plaster, masonry, on walls and

ceilings. For previously painted surfaces or primed wood or metal.

COLORS: Available in all Colors

FINISH: Flat.

VEHICLE TYPE: Acrylic/vinyl latex

SOLVENT TYPE: Water

VOC: 0 Lbs/Gallon (0 Grams/Liter)

FLASH POINT: Not Applicable

TEST PERFORMED: ASTM designation E-84-09a. "standard method of test for surface

burning Charictoristics of building materials". The test procedure is equivalent to UL-723, ANSI/NFPA No. @%% and UBC No. 8-1

CLASSIFICATION: Class A Rating in accordance with the NFPA and IBC. Tested by

Independent Laboratories

RESULTS: Flame Spread: 0-5, Smoke development: 0-5

SOLIDS BY VOLUME: 54%

WEIGHT PER GALLON: 11.63 Lbs

RECOMMENDED DRY FILM: 10 Mils

COVERAGE: Theoretical coverage at 1 mil dry is 864 square feet per gallon,

and 86 square feet at 10 mils dry.

VISCOSITY: 90-105 KU

RECOMMENDED DRY TIME: Sets to touch in 30 Minutes. Can be recoated in 4 hours.



REDUCER: Water

CLEAN UP: Soap & Water

RECOMMENDED PRIMERS: For New Wallboard: PVA Primer

For Wood: Alkyd Primer For Metal: Metal Primer

SURFACE PREPERATION: Remove all grease, dirt, oil, wax and other foreign matter from

surfaces.

POT LIFE: Not Applicable

APPLICATION: Brush, Roller Spray.

Roll: $\frac{1}{4}$ " lambswool or $\frac{1}{4}$ " – $\frac{1}{2}$ " synthetic roller cover

Conventional Air Spray: Binks Graco **Devilbiss** Spray Gun: 800 JGA502 #18 Or #62 or 900 or MBC-510 Fluid Nozzle: 66 or 67 047 or 086 D or E 66PE or 63PB 02,03, 952 704,765,78 Air Cap:

Airless Spray: Binks Graco

Pump: 37:1 B8-36 30:1 Bulldog Pressure Filter: 60 Mesh

Fluid Hose: 71-7507x 100'

Airless Gun M1 208-663 Tips: 9-1860-9-2180 .015-.019 Minimum Pressure: 2000 PSI

HVLP: Binks

Spray Gun: Mach 1
Fluid Nozzle: 94F or 905F
Orifice .007 or .086
Air Nozzle: 95P or 905P

SHELF LIFE: 12 Months minimum.

MIXING: Stir thoroughly and apply as it comes from the container. For

Spraying thin water for spray viscosity.

SAFETY INFORMATION: Do not take internally. Close container after each use. Keep from

freezing. KEEP OUT OF REACH OF CHILDREN.

All technical data, recommendations and services are accurate to the best of our knowledge. Seller assumes no responsibility for the results obtained or damages incurrer from their use by the Buyer in whole or in part. No Warranty, including those of merchantability or fitness for a particular purpose, is expressed or implied since the method of application and its use is beyond our control. There are no warranties which extend beyond the description or the face hereof.

